


Circle

Question 1.

Calculate the length of a chord which is at a distance of 12 cm from the centre of a circle of radius 13 cm.

Solution:

AB is chord of a circle with centre O and OA is its radius $OM \perp AB$.



$\therefore OA = 13 \text{ cm}, OM = 12 \text{ cm}$

Now in right $\triangle OAM$,

$$OA^2 = OM^2 + AM^2$$

(By Pythagorus Axiom)

$$\Rightarrow (13)^2 = (12)^2 + AM^2$$

$$\Rightarrow AM^2 = (13)^2 - (12)^2$$

$$\Rightarrow AM^2 = 169 - 144 = 25 = (5)^2$$

$$\Rightarrow AM = 5 \text{ cm.}$$

$\therefore OM \perp AB$

$\therefore M$ is the mid-point of AB .


$$\therefore AB = 2 AM = 2 \times 5 = 10 \text{ cm}$$

Question 2.

A chord of length 48 cm is drawn in a circle of radius 25 cm. Calculate its distance from the centre of the circle.

Solution:

AB is the chord of the circle with centre O and radius OA and $OM \perp AB$.



$$\therefore AB = 48 \text{ cm,}$$
$$OA = 25 \text{ cm}$$

$$\therefore OM \perp AB$$

\therefore M is the mid-point of AB

$$\therefore AM = \frac{1}{2} AB = \frac{1}{2} \times 48 = 24 \text{ cm.}$$

Now in right $\triangle OAM$,

$$OA^2 = OM^2 + AM^2$$

(By Pythagorus Axiom)

$$\Rightarrow (25)^2 = OM^2 + (24)^2$$

$$\Rightarrow OM^2 = (25)^2 - (24)^2 = 625 - 576$$
$$= 49 = (7)^2$$


$$\therefore OM = 7 \text{ cm}$$

Question 3.

A chord of length 8 cm is at a distance of 3 cm from the centre of the circle. Calculate the radius of the circle.

Solution:

AB is the chord of a circle with centre O and radius OA and $OM \perp AB$



$$\therefore AB = 8 \text{ cm}$$

$$OM = 3 \text{ cm}$$

$$\therefore OM \perp AB$$

\therefore M is the mid-point of AB

$$\therefore AM = \frac{1}{2} AB = \frac{1}{2} \times 8 = 4 \text{ cm.}$$

Now in right $\triangle OAM$,

$$OA^2 = OM^2 + AM^2$$

(By Pythagorus Axiom)

$$= (3)^2 + (4)^2 = 9 + 16 = 25$$

$$= (5)^2$$


$$\therefore OA = 5 \text{ cm.}$$

Question 4.

Calculate the length of the chord which is at a distance of 6 cm from the centre of a circle of diameter 20 cm.

Solution:

AB is the chord of the circle with centre O
and radius OA and $OM \perp AB$



\therefore Diameter of the circle = 20 cm

\therefore Radius = $\frac{20}{2} = 10$ cm

\therefore OA = 10 cm, OM = 6 cm

Now in right Δ OAM,

$$OA^2 = AM^2 + OM^2$$

(By Pythagorus Axiom)

$$\Rightarrow (10)^2 = AM^2 + (6)^2$$

$$\Rightarrow AM^2 = 10^2 - 6^2$$

$$\Rightarrow AM^2 = 100 - 36 = 64 = (8)^2$$

\therefore AM = 8 cm

\therefore $OM \perp AB$

\therefore M is the mid-point of AB.

\therefore AB = 2 AM = $2 \times 8 = 16$ cm.

Question 5.

A chord of length 16 cm is at a distance of 6 cm from the centre of the circle. Find the length of the chord of the same circle which is at a distance of 8 cm from the centre.

Solution:

~~Let the length of the chord be $2x$ cm and the distance from the centre be y cm.~~



$$\therefore AB = 16 \text{ cm, } OM = 6 \text{ cm}$$

$$\therefore OM \perp AB$$

$$\therefore AM = \frac{1}{2} AB = \frac{1}{2} \times 16 = 8 \text{ cm.}$$

Now in right $\triangle OAM$,

$$OA^2 = AM^2 + OM^2$$

(By Pythagorous Axiom)

$$= (8)^2 + (6)^2$$

$$= 64 + 36 = 100 = (10)^2$$

$$\therefore OA = 10 \text{ cm.}$$

Now CD is another chord of the same circle
 $ON \perp CD$ and OC is the radius.

\therefore In right $\triangle ONC$

$$OC^2 = ON^2 + NC^2$$

(By Pythagorous Axioms)

$$\Rightarrow (10)^2 = (8)^2 + (NC)^2$$

$$\Rightarrow 100 = 64 + NC^2$$

$$\Rightarrow NC^2 = 100 - 64 = 36 = (6)^2$$

$$\therefore NC = 6$$

But $ON \perp CD$

\therefore N is the mid-point of CD

$$\therefore CD = 2 NC = 2 \times 6 = 12 \text{ cm}$$


Question 6.

In a circle of radius 5 cm, AB and CD are two parallel chords of length 8 cm and 6 cm respectively. Calculate the distance between the chords if they are on :

- (i) the same side of the centre.
- (ii) the opposite sides of the centre.

Solution:

Two chords AB and CD of a circle with centre O and radius OA or OC



(i)

$OA = OC = 5 \text{ cm}$


$AB = 8 \text{ cm}$

$CD = 6 \text{ cm}$

OM and ON are perpendiculars from O to AB and CD respectively.

M and N are the mid-points of AB and CD respectively.

In figure (i) chords are on the same side and in figure (ii) chords are on the opposite side of the centre.



(ii)

In right $\triangle OAM$,

$$OA^2 = AM^2 + OM^2$$

(By Pythagorus Axiom)

$$\Rightarrow (5)^2 = (4)^2 + OM^2$$

$$\left(\because AM = \frac{1}{2} AB \right)$$

$$\Rightarrow 25 = 16 + OM^2$$

$$\Rightarrow OM^2 = 25 - 16 = 9 = (3)^2$$

$$\therefore OM = 3 \text{ cm.}$$

Again in right $\triangle OCN$,

$$OC^2 = CN^2 + ON^2$$

$$\Rightarrow (5)^2 = (3)^2 + ON^2$$

$$\left(\because CN = \frac{1}{2} CD \right)$$

$$\Rightarrow 25 = 9 + ON^2$$

$$\Rightarrow ON^2 = 25 - 9 = 16 = (4)^2$$

$$\therefore ON = 4$$

In fig. (i), distance $MN = ON - OM$
 $= 4 - 3 = 1 \text{ cm.}$

In fig. (ii)


$$MN = OM + ON = 3 + 4 = 7 \text{ cm}$$

Question 7.

(a) In the figure given below, O is the centre of the circle. AB and CD are two chords of the circle, OM is perpendicular to AB and ON is perpendicular to CD . $AB = 24 \text{ cm}$, $OM = 5 \text{ cm}$, $ON = 12 \text{ cm}$. Find the:

(i) radius of the circle.

(ii) length of chord CD .



(b) In the figure (ii) given below, CD is the diameter which meets the chord AB in

E such that $AE = BE = 4$ cm. If $CE = 3$ cm, find the radius of the circle.



Solution:

Let the radius of the circle be r cm. $OC \perp DE$

$OC \perp DE$

OC bisects DE at C .

$AC = 4$ cm

$$\text{In } \triangle OCE, \text{ by Pythagoras theorem, } r^2 = OC^2 + CE^2$$

$$= 4^2 + 3^2 = 16 + 9 = 25 \Rightarrow r = 5 \text{ cm}$$

$$\text{In } \triangle OAC, \text{ by Pythagoras theorem, } r^2 = OC^2 + AC^2$$

$$r^2 = OC^2 + 4^2$$

$$25 = OC^2 + 16 \Rightarrow OC^2 = 25 - 16 = 9$$

$$OC = 3 \text{ cm}$$



Let the radius of the circle be r cm. $OC \perp DE$ at C .

$\therefore AC = 4$ cm, $CE = 3$ cm

In $\triangle OCE$, by Pythagoras theorem,

$$r^2 = OC^2 + CE^2$$

$$\therefore r^2 = OC^2 + 3^2$$

$$\text{In } \triangle OAC, \text{ by Pythagoras theorem,}$$

$$r^2 = OC^2 + AC^2$$


$$\therefore r^2 = OC^2 + 4^2$$

$$\therefore r^2 = OC^2 + 16$$

$$\therefore r^2 = r^2 \Rightarrow r = 5 \text{ cm}$$


Question 8.

In the adjoining figure, AB and CD are two parallel chords and O is the centre. If the radius of the circle is 15 cm, find the distance MN between the two chords of length 24 cm and 18 cm respectively.



Solution:

In the figure, chords AB & CD
 O is the center of the circle
 Radius of the circle = 15 cm
 Length of AB = 24 cm and CD = 18 cm
 Join OM and ON



In $\triangle OMA$, $OM \perp AB$

$$\therefore OM = \frac{24}{2} = 12 \text{ cm}$$

In $\triangle ONC$, $ON \perp CD$

$$\therefore ON = \frac{18}{2} = 9 \text{ cm}$$

In right $\triangle OMC$,

$$OC^2 = OM^2 + CN^2 \quad \text{Pythagoras Theorem}$$

$$\Rightarrow 15^2 = 12^2 + CN^2 \Rightarrow 225 = 144 + CN^2$$

$$\Rightarrow CN^2 = 225 - 144 = 81 = 9^2$$

$$\therefore CN = 9 \text{ cm}$$

In right $\triangle ONC$,

$$OC^2 = ON^2 + CN^2 \Rightarrow 15^2 = ON^2 + 9^2$$

$$\Rightarrow ON^2 = 225 - 81 = 144 = 12^2$$

$$\Rightarrow ON = 12 \text{ cm}$$

$$\therefore MN = 22 \text{ cm}$$

$$\text{Now } MN = OM + ON = 12 + 10 = 22 \text{ cm}$$


Question 9.

AB and CD are two parallel chords of a circle of lengths 10 cm and 4 cm respectively. If the chords lie on the same side of the centre and the distance between them is 3 cm, find the diameter of the circle.

Solution:

AB and CD are two parallel chords and AB

is longer than CD and distance between
them is 3 cm.



Let radius of circle $OQ = OR = r$

$OQ \perp CD$ with foot as M in L.

\therefore Let $OQ = x$, then $QR = x + 3$

Now by right $\triangle OQM$,

$$OQ^2 = OM^2 + MQ^2$$

$$\Rightarrow r^2 = 5^2 + x^2 = 25 + x^2 \quad \text{--- (1)}$$

$$\therefore \text{In right } \triangle OQR$$

By Pythagoras theorem,

$$OR^2 = OM^2 + MR^2$$

$$\Rightarrow r^2 = 3^2 + (x + 3)^2$$

$$\therefore \text{Equating (1) and (2)}$$

$$\Rightarrow 25 + x^2 = 9 + x^2 + 6x + 9$$

$$25 + x^2 = x^2 + 6x + 18$$

$$25 - 18 = 6x$$

$$7 = 6x$$

$$\Rightarrow x = \frac{7}{6}$$

$$\Rightarrow r^2 = 25 + \left(\frac{7}{6}\right)^2$$

$$r^2 = 25 + \frac{49}{36}$$

$$r^2 = \frac{900}{36} + \frac{49}{36}$$

$$r^2 = \frac{949}{36}$$

$$\therefore r = \frac{\sqrt{949}}{6}$$

$$\therefore \text{Diameter of circle} = 2r$$

$$= 2 \times \frac{\sqrt{949}}{6}$$

Question 10.

ABC is an isosceles triangle inscribed in a circle. If $AB = AC = 12\sqrt{5}$ cm and $BC = 24$ cm, find the radius of the circle.

Solution:

$AB = AC = 12\sqrt{5}$ and $BC = 24$ cm.



Join OB and OC and OA.

Draw $AD \perp BC$ which will pass through centre O.

\therefore OD bisects BC in D

\therefore $BD = DC = 12$ cm.

In right $\triangle ABD$

$$AB^2 = AD^2 + BD^2$$

$$\Rightarrow (12\sqrt{5})^2 = AD^2 + (12)^2$$

$$\Rightarrow 144 \times 5 = AD^2 + 144$$

$$\Rightarrow 720 - 144 = AD^2$$

$$\Rightarrow AD^2 = 576 \Rightarrow AD = \sqrt{576} = 24$$

Let radius of the circle = $OA = OB = OC = r$

$$\therefore OD = AD - AO = 24 - r$$

Now in right $\triangle OBD$,

$$OB^2 = BD^2 + OD^2$$

$$\Rightarrow r^2 = (12)^2 + (24 - r)^2$$

$$\Rightarrow r^2 = 144 + 576 + r^2 - 48r$$

$$\Rightarrow 48r = 720$$

$$r = \frac{720}{48} = 15 \text{ cm.}$$

\therefore Radius = 15 cm


Question 11.

An equilateral triangle of side 6 cm is inscribed in a circle. Find the radius of the circle.

Solution:

ABC is an equilateral triangle inscribed in a circle with centre O. Join OB and OC.

From A, draw $AD \perp BC$ which will pass through the centre O of the circle.



\therefore Each side of $\triangle ABC = 6$ cm.

$$\therefore AD = \frac{\sqrt{3}}{2} a = \frac{\sqrt{3}}{2} \times 6 = 3\sqrt{3} \text{ cm.}$$

$$OD = AD - AO = 3\sqrt{3} - r.$$

Now in right $\triangle OBD$,

$$OB^2 = BD^2 + OD^2$$

$$\Rightarrow r^2 = (3)^2 + (3\sqrt{3} - r)^2$$

$$\Rightarrow r^2 = 9 + 27 + r^2 - 6\sqrt{3}r$$

(\because D is mid-point of BC)

$$6\sqrt{3}r = 36$$

$$r = \frac{36}{6\sqrt{3}} = \frac{6 \times \sqrt{3}}{\sqrt{3} \times \sqrt{3}} = \frac{6\sqrt{3}}{3} = 2\sqrt{3} \text{ cm}$$


\therefore Radius = $2\sqrt{3}$ cm

Question 12.

AB is a diameter of a circle. M is a point in AB such that AM = 18 cm and MB = 8 cm. Find the length of the shortest chord through M.

Solution:

In a circle with centre O, AB is the diameter and M is a point on AB such that



$$AM = 18 \text{ cm and } MB = 8 \text{ cm}$$

$$\therefore AB = AM + MB = 18 + 8 = 26 \text{ cm}$$

$$\therefore \text{Radius of the circle} = \frac{26}{2} = 13 \text{ cm}$$

Let CD is the shortest chord drawn through M.

$$\therefore CD \perp AB.$$

Join OC.

$$OM = AM - AO = 18 - 13 = 5 \text{ cm}$$

$$OC = OA = 13 \text{ cm.}$$

Now in right $\triangle OMC$,

$$OC^2 = OM^2 + MC^2$$

$$\Rightarrow (13)^2 = (5)^2 + MC^2 \Rightarrow MC^2 = 13^2 - 5^2$$

$$\Rightarrow MC^2 = 169 - 25 = 144 = (12)^2$$

$$\therefore MC = 12$$

\therefore M is mid-point of CD


$$\therefore CD = 2 \times MC = 2 \times 12 = 24 \text{ cm}$$

Question 13.

A rectangle with one side of length 4 cm is inscribed in a circle of diameter 5 cm. Find the area of the rectangle.

Solution:

ABCD is a rectangle inscribed in a circle with centre O and diameter 5 cm.



AB = 4 cm and AC = 5 cm.

In right $\triangle ABC$,

$$AC^2 = AB^2 + BC^2$$

$$\Rightarrow (5)^2 = (4)^2 + BC^2 \Rightarrow BC^2 = 5^2 - 4^2$$

$$\Rightarrow BC^2 = 25 - 16 = 9 = (3)^2$$

$$\therefore BC = 3 \text{ cm.}$$

$$\begin{aligned} \therefore \text{Area of rectangle ABCD} &= AB \times BC \\ &= 4 \times 3 = 12 \text{ cm}^2 \end{aligned}$$


bodhiyla.com

Question 14.

The length of the common chord of two intersecting circles is 30 cm. If the radii of the two circles are 25 cm and 17 cm, find the distance between their centres.

Solution:

AB is the common chord of two circles with centre O and C. Join OA, CA and OC



$$AB = 30 \text{ cm}$$

$$OA = 25 \text{ cm and } AC = 17 \text{ cm}$$

\therefore OC is the perpendicular bisector of AB at M.

$$\therefore AM = MB = 15 \text{ cm.}$$

In right $\triangle OAM$,

$$OA^2 = OM^2 + AM^2$$

$$\Rightarrow 25^2 = OM^2 + (15)^2$$

$$\Rightarrow OM^2 = 25^2 - 15^2$$

$$= 625 - 225 = 400 = (20)^2$$

$$\therefore OM = 20 \text{ cm.}$$

Again in $\triangle AMC$,

$$AC^2 = AM^2 + MC^2$$

$$\Rightarrow 17^2 = 15^2 + MC^2$$

$$\Rightarrow MC^2 = 17^2 - 15^2$$

$$\Rightarrow MC^2 = 289 - 225 = 64 = (8)^2$$

$$\therefore MC = 8 \text{ cm}$$

Now $OC = OM + MC$,


$$= 20 + 8 = 28 \text{ cm.}$$

Question 15.

The line joining the mid-points of two chords of a circle passes through its centre. Prove that the chords are parallel.

Solution:

Given : Two chords AB and CD where L and M are the mid-points of AB and CD respectively. LM passes through O, the centre of the circle.



To Prove : $AB \parallel CD$.

Proof : \because L is mid-point of AB.

$$\therefore OL \perp AB$$

$$\therefore \angle OLA = 90^\circ$$

...(i)

Again M is mid point of CD

$$\therefore OM \perp CD$$

$$\therefore \angle OMD = 90^\circ$$

...(ii)

From (i) and (ii)

$$\angle OLA = \angle OMD$$

But these are alternate angles

$$\therefore AB \parallel CD$$

Q.E.D.


Question 16.

If a diameter of a circle is perpendicular to one of two parallel chords of the circle, prove that it is perpendicular to the other and bisects it.

Solution:

Given : Chord $AB \parallel CD$

and diameter PQ is perpendicular to AB



To Prove : PQ is perpendicular to CD .

Proof : \because Diameter PQ is perpendicular to AB .

$$\therefore \angle AMO = 90^\circ$$

$\therefore PQ$ bisects AB

$\because AB \parallel CD$ (given)

$$\therefore \angle OLD = 90^\circ \quad (\text{Alt. angles})$$

$\therefore OL$ or PQ is perpendicular to CD .

Hence PQ bisects CD . Q.E.D.


Question 17.

In an equilateral triangle, prove that the centroid and the circumcentre of the triangle coincide.

Solution:

Given : $\triangle ABC$ in which $AB = BC = CA$.

To Prove : The centroid and the circumcentre coincide each other.



Construction : Draw perpendicular bisectors of AB and BC intersecting each other at O. Join AD, OB and OC.

Proof : \because O lies on the perpendicular bisectors of AB and BC

$$\therefore OA = OB = OC$$

\therefore O is the circumcentre of $\triangle ABC$.

\because D is mid-point of BC.

\therefore AD is the median of $\triangle ABC$.

Now in $\triangle ABD$ and $\triangle ACD$,

$$AB = AC \quad (\text{given})$$

$$AD = AD \quad (\text{common})$$

$$BD = DC \quad (\because D \text{ is mid-point of } BC)$$

$$\therefore \triangle ABD \cong \triangle ACD$$

(SSS axiom of congruency)

$$\therefore \angle ADB = \angle ADC \quad (\text{c.p.c.t})$$

$$\text{But } \angle ADB + \angle ADC = 180^\circ$$

(Linear pair)

$$\therefore \angle ADB = \angle ADC = 90^\circ$$


\therefore AD is perpendicular on BC which passes through O.

Hence centroid and circumcentre of $\triangle ABC$ coincide each other. Q.E.D.

Question 18.

(a) In the figure (i) given below, OD is perpendicular to the chord AB of a circle whose centre is O. If BC is a diameter, show that $CA = 2 OD$.

(b) In the figure (ii) given below, O is the centre of a circle. If AB and AC are chords of the circle such that $AB = AC$ and $OP \perp AB$, $OQ \perp AC$, Prove that $PB = QC$.




Solution:

(a) **Given :** OD is perpendicular to chord AB of the circle and BC is the diameter.

CA is joined.

To Prove : $CA = 2 OD$.

Proof : $\because OD \perp AB$




\therefore D is mid point of AB and O is the mid point of BC.

\therefore In $\triangle BAC$,

$$OD \parallel CA \text{ and } OD = \frac{1}{2} CA$$

$\Rightarrow CA = 2 OD$ Q.E.D.

(b) **Given :** AB and AC are chords of a circle with centre O and $AB = AC$, $OP \perp AB$ and $OQ \perp AC$. BP and QC are joined.



To Prove : $PB = QC$.

Proof : $\because OP \perp AB$ (given)

$\therefore M$ is mid-point of AB

$$\therefore AM = MB \Rightarrow MB = \frac{1}{2}AB$$

Similarly $OQ \perp AC$

$$\therefore AN = NC \Rightarrow NC = \frac{1}{2}AC.$$

But $AB = AC$

$$\therefore MB = NC$$

\because Chord $AB =$ Chord AC

$$\therefore OM = ON$$

But $OP = OQ$ (radii of the same circle)

$$\therefore MP = NQ$$

Now in $\triangle MPB$ and $\triangle NQC$,

$$MB = NC \quad (\text{proved})$$

$$MP = NQ \quad (\text{proved})$$

$$\angle PMB = \angle QNC \quad (\text{each } 90^\circ)$$

$$\therefore \triangle MPB \cong \triangle NQC$$



(SAS axiom of congruency)

$$\therefore PB = QC \quad (\text{c.p.c.t}) \text{ Q.E.D}$$

Question 19.

(a) In the figure (i) given below, a line l intersects two concentric circles at the points A, B, C and D . Prove that $AB = CD$.

(b) In the figure (ii) given below, chords AB and CD of a circle with centre O intersect at E . If OE bisects $\angle AED$, Prove that $AB = CD$.




Solution:

bodhiyla.com

(a) **Given :** A line l intersects two concentric circles with centre O .

To Prove : $AB = CD$

Construction : Draw $OM \perp l$.



Proof : $\because OM \perp BC$.

$\therefore BM = MC$...(i)

Again $OM \perp AD$

$\therefore AM = MD$(ii)

Subtracting (i) from (ii)

$$AM - BM = MD - MC$$

$$\Rightarrow AB = CD$$

Q.E.D. :


(b) **Given :** Two chords AB and CD intersect each other at E inside the circle with centre O . OE bisects $\angle AED$ i.e. $\angle OEA = \angle OED$.

To Prove : $AB = CD$

Construction : From O , draw $OM \perp AB$ and $ON \perp CD$.

Proof : In $\triangle OME$ and $\triangle ONE$

$$\angle M = \angle N \quad (\text{each } 90^\circ)$$



$$OE = OE \quad (\text{common})$$

$$\angle OEM = \angle OEN \quad (\text{given})$$

$$\therefore \triangle OME \cong \triangle ONE$$

(ASS axiom of congruency)

$$\therefore OM = ON$$

$$\therefore AB = CD$$

(chords which are equidistant from the centre are equal)


Q.E.D.

Question 20.


(a) In the figure (i) given below, AD is a diameter of a circle with centre O . If $AB \parallel CD$, prove that $AB = CD$.

(b) In the figure (ii) given below, AB and CD are equal chords of a circle with centre O . If AB and CD meet at E (outside the circle) Prove that :

(i) $AE = CE$ (ii) $BE = DE$.




(i)



(ii)

Solution:

(a) **Given :** AD is the diameter of a circle with centre O and chords AB and CD are parallel.



To Prove : $AB = CD$.

Construction : From O, draw $OM \perp AB$ and $ON \perp CD$

Proof : In $\triangle OMA$ and $\triangle OND$,
 $\angle AOM = \angle DON$

(Vertically opposite angles)

$OA = OD$ (radii of the same circle)

and $\angle M = \angle N$ (each 90°)

$\therefore \triangle OMA \cong \triangle OND$

(AAS axiom of congruency)


$\therefore OM = ON$ (c.p.c.t)

But $OM \perp AB$ and $ON \perp CD$

$\therefore AB = CD$

(chords which are equidistant from the centre are equal)

(b) **Given** : Chord $AB =$ chord CD of circle with centre O . and meet at E on producing them.



To Prove : (i) $AE = CE$

(ii) $BE = DE$

Construction : From O , draw $OM \perp AB$ and $ON \perp CD$. Join OE

In right $\triangle OME$ and $\triangle ONE$

Hyp. $OE = OE$ (Common)

bodhiyla.com

Side $OM = ON$

(Equal chords are equidistant from the centre)

$\therefore \triangle OME \cong \triangle ONE$

(R.H.S. axiom of congruency)

$\therefore ME = NE$ (c.p.c.t) ...*(i)*

$\therefore OM \perp AB$ and $ON \perp CD$

$\therefore M$ is mid-point of AB and N is mid point of CD .

$\therefore MB = \frac{1}{2}AB$ and $ND = \frac{1}{2}CD$

But $AB = CD$...*(ii)*

$\therefore MB = ND$

\therefore Subtracting, *(ii)* from *(i)*

$ME - MB = NE - ND$


$\Rightarrow BE = DE$

But $AB = CD$ (given)

\therefore Adding, we get

$AB + BE = CD + DE$

$\Rightarrow AE = CE$ (Hence proved)



EXERCISE 15.2

Question 1.

If arcs APB and CQD of a circle are congruent, then find the ratio of AB: CD.

Solution:

$$\widehat{APB} = \widehat{CQD}$$

(given)

$$\therefore AB = CD$$

(\because If two arcs are congruent, then their corresponding chords are equal)

$$\therefore \text{Ratio of AB and CD} = \frac{AB}{CD} = \frac{AB}{AB} = \frac{1}{1}$$


$$\Rightarrow AB : CD = 1 : 1$$

Question 2.

A and B are points on a circle with centre O. C is a point on the circle such that OC bisects $\angle AOB$, prove that OC bisects the arc AB.

Solution:

Given : In a given circle with centre O, A and B are two points on the circle. C is another point on the circle such that $\angle AOC = \angle BOC$



To prove : arc AC = arc BC

Proof : \because OC is the bisector of $\angle AOB$
or $\angle AOC = \angle BOC$

But these are the angle subtended by the arc AC and BC.

$$\therefore \text{arc AC} = \text{arc BC.}$$

Q.E.D.

Question 3.

Prove that the angle subtended at the centre of a circle is bisected by the radius

passing through the mid-point of the arc.

Solution:

Given : AB is the arc of the circle with centre O and C is the mid-point of arc AB .

To prove : OC bisects the $\angle AOB$

Pr. $\angle AOC = \angle BOC$

Proof : C is the mid-point of arc AB .

$\therefore AC = BC$



Pr. $\angle AOC = \angle BOC$

$\therefore \angle AOC = \angle BOC$

Hence OC bisects the $\angle AOB$.

Q.E.D.

Question 4.

In the given figure, two chords AB and CD of a circle intersect at P . If $AB = CD$, prove that arc $AD =$ arc CB .

Solution:



Given : Two chords AB and CD of a circle intersect at P and $AB = CD$.

To prove : arc $AD =$ arc CB

Proof : $AB = CD$ (given)

\therefore minor arc $AB =$ minor arc CD

Subtracting arc BD from both sides

arc $AB -$ arc $BD =$ arc $CD -$ arc BD

\Rightarrow arc $AD =$ arc CB Q.E.D.

Multiple Choice Questions

Choose the correct answer from the given four options (1 to 6) :

Question 1.

If P and Q are any two points on a circle, then the line segment PQ is called a

- (a) radius of the circle
- (b) diameter of the circle
- (c) chord of the circle
- (d) secant of the circle

Solution:

chord of the circle (c)

Question 2.

If P is a point in the interior of a circle with centre O and radius r, then

- (a) $OP = r$
- (b) $OP > r$
- (c) $OP \geq r$
- (d) $OP < r$

Solution:

$OP < r$ (d)

Question 3.

The circumference of a circle must be

- (a) a positive real number
- (b) a whole number
- (c) a natural number
- (d) an integer

Solution:

a positive real number (a)

Question 4.


AD is a diameter of a circle and AB is a chord. If $AD = 34$ cm and $AB = 30$ cm, then the distance of AB from the centre of circle is

- (a) 17 cm
- (b) 15 cm
- (c) 4 cm
- (d) 8 cm

Solution:

AD is the diameter of the circle whose length is $AD = 34$ cm

AB is the chord of the circle whose length is $AB = 30$ cm



Distance of the chord from the centre is OM
Since the line through the centre of the chord of the circle is the perpendicular bisector, we have $\angle OMA = 90^\circ$

and $AM = BM$

Thus, $\triangle AMO$ is a right angled triangle

Now, by applying Pythagorean Theorem,

$$OA^2 = AM^2 + OM^2 \quad \dots(i)$$

Since the diameter $AD = 34$ cm, radius of the circle is 17 cm

$$\therefore OA = 17 \text{ cm}$$

Since $AM = BM$ and $AB = 30$ cm

$$\therefore \text{We have } AM = BM = 15 \text{ cm}$$

We have, $OA^2 = AM^2 + OM^2$

$$17^2 = 15^2 + OM^2$$

$$OM^2 = 289 - 225$$

$$OM^2 = 64$$

$$OM = \sqrt{64} = 8 \text{ cm} \quad (d)$$


Question 5.

If $AB = 12$ cm, $BC = 16$ cm and AB is perpendicular to BC , then the radius of the circle passing through the points A , B and C is

- (a) 6 cm
- (b) 8 cm
- (c) 10 cm
- (d) 12 cm

Solution:

Give that $AB = 12$ cm and $BC = 16$ cm and $\angle ABC = 90^\circ$



Every angle inscribed in a semicircle is a right angle.

Since the inscribed angle

$\angle ABC = 90^\circ$, the arc ABC is a semicircle

Thus, AC is the diameter of the circle passing through the centre.

Now, by Pythagoras Theorem,

$$AC^2 = AB^2 + BC^2$$

$$= 12^2 + 16^2$$

$$= 144 + 256 = 400$$

$$AC = \sqrt{400} = 20 \text{ cm}$$

\therefore Diameter of the circle is 20 cm


Thus, the radius of the circle passing through A , B and C is 10 cm. (c)

Question 6.

In the given figure, O is the centre of the circle. If $OA = 5$ cm, $AB = 8$ cm and $OD \perp AB$, then length of CD is equal to

- (a) 2 cm
- (b) 3 cm
- (c) 4 cm
- (d) 5 cm

Solution:



$$OC = \sqrt{AO^2 - AC^2}$$

$$= \sqrt{25 - 16} = \sqrt{9} \text{ cm} = 3 \text{ cm}$$

Since, $OD = OA = 5$ cm


$$\therefore CD = OD - OC = 5 - 3 \text{ cm} = 2 \text{ cm} \quad (\text{a})$$

Chapter Test

Question 1.

In the given figure, a chord PQ of a circle with centre O and radius 15 cm is bisected at M by a diameter AB . If $OM = 9$ cm, find the lengths of :

- (i) PQ
- (ii) AP
- (iii) BP




Solution:

Given, radius = 15 cm

$\Rightarrow OA = OB = OP = OQ = 15 \text{ cm}$

Also, $OM = 9 \text{ cm}$



$\therefore MB = OB - OM = 15 - 9 = 6 \text{ cm}$

$AM = OA + OM = 15 + 9 \text{ cm} = 24 \text{ cm}$

In $\triangle OMP$, by using Pythagoras Theorem,

bodhiyla.com

$$OP^2 = OM^2 + PM^2$$

$$15^2 = 9^2 + PM^2$$

$$= PM^2 = 225 - 81$$

$$PM = \sqrt{144} = 12 \text{ cm}$$

Also, In $\triangle OMQ$,

by using Pythagoras Theorem,

$$OQ^2 = OM^2 + QM^2$$

$$15^2 = OM^2 + QM^2$$

$$15^2 = 9^2 + QM^2 \Rightarrow QM^2 = 225 - 81$$

$$QM = \sqrt{144} = 12 \text{ cm}$$

$$\therefore PQ = PM + QM$$

(As radius is bisected at M)

$$\Rightarrow PQ = 12 + 12 \text{ cm} = 24 \text{ cm}$$

(ii) Now in $\triangle APM$

$$AP^2 = AM^2 + OM^2$$

$$AP^2 = 24^2 + 12^2$$

$$AP^2 = 576 + 144$$

$$AP = \sqrt{720} = 12\sqrt{5} \text{ cm}$$

(iii) Now in $\triangle BMP$

$$BP^2 = BM^2 + PM^2$$

$$BP^2 = 6^2 + 12^2$$

$$BP^2 = 36 + 144$$


$$BP = \sqrt{180} = 6\sqrt{5} \text{ cm}$$

Question 2.

The radii of two concentric circles are 17 cm and 10 cm ; a line PQRS cuts the larger circle at P and S and the smaller circle at Q and R. If QR = 12 cm, calculate PQ.

Solution:

A line PQRS intersects the outer circle at P and S and inner circle at Q and R. Radius of outer circle $OP = 17$ cm and radius of inner circle $OQ = 10$ cm.



$$QR = 12 \text{ cm}$$

From O, draw $OM \perp PS$

$$\therefore QM = \frac{1}{2}QR = \frac{1}{2} \times 12 = 6 \text{ cm}$$

In right ΔOQM ,

$$OQ^2 = OM^2 + QM^2$$

$$\Rightarrow (10)^2 = OM^2 + (6)^2$$

$$\begin{aligned} \Rightarrow OM^2 &= 10^2 - 6^2 \\ &= 100 - 36 = 64 = (8)^2 \end{aligned}$$

$$\therefore OM = 8 \text{ cm}$$

Now in right ΔOPM ,

$$OP^2 = OM^2 + PM^2$$

$$\Rightarrow (17)^2 = (8)^2 + PM^2$$

$$\begin{aligned} \Rightarrow PM^2 &= (17)^2 - (8)^2 \\ &= 289 - 64 = 225 = (15)^2 \end{aligned}$$

$$\therefore PM = 15 \text{ cm}$$

$$\therefore PQ = PM - QM = 15 - 6 = 9 \text{ cm}$$

Question 3.


A chord of length 48 cm is at a distance of 10 cm from the centre of a circle. If another chord of length 20 cm is drawn in the same circle, find its distance from the centre of the circle.

Solution:

O is the centre of the circle

Length of chord AB = 48 cm

and chord CD = 20 cm



OL \perp AB and OM \perp CD are drawn

$$\therefore AL = LB = \frac{48}{2} = 24 \text{ cm}$$

$$\text{and } CM = MD = \frac{20}{2} = 10 \text{ cm}$$

$$OL = 10 \text{ cm}$$

Now in right $\triangle AOL$

$$OA^2 = AL^2 + OL^2 \quad (\text{Pythagoras Theorem})$$

$$\Rightarrow OA^2 = (24)^2 + (10)^2 = 576 + 100 \\ = 676 = (26)^2$$

$$\therefore OA = 26 \text{ cm}$$

But $OC = OA$ (radii of the same circle)

$$\therefore OC = 26 \text{ cm}$$

Now in right $\triangle OCM$

$$OC^2 = OM^2 + CM^2$$

$$(26)^2 = OM^2 + (10)^2$$

$$676 = OM^2 + 100 \Rightarrow OM^2 = 676 - 100$$

$$\Rightarrow OM^2 = 576 = (24)^2$$


$$\therefore OM = 24 \text{ cm}$$

Question 4.

(a) In the figure (i) given below, two circles with centres C, D intersect in points P, Q. If length of common chord is 6 cm and CP = 5 cm, DP = 4 cm, calculate the distance CD correct to two decimal places.

(a) Two circles with centre C and D intersect each other at P and Q. PQ is the common chord = 6 cm. The line joining the centres C and D bisects the chord PQ at M.

(b) In the figure (ii) given below, P is a point of intersection of two circles with centres C and D. If the st. line APB is parallel to CD, Prove that AB = 2 CD.



$$\therefore PM = MQ = \frac{6}{2} = 3 \text{ cm}$$

Now in right $\triangle CPM$,

$$CP^2 = CM^2 + PM^2$$

$$\Rightarrow (5)^2 = CM^2 + (3)^2 \Rightarrow 25 = CM^2 + 9$$

$$\Rightarrow CM^2 = 25 - 9 = 16 = (4)^2$$

$$\therefore CM = 4 \text{ cm}$$

and in right $\triangle PDM$,

$$PD^2 = PM^2 + MD^2$$

$$\Rightarrow (4)^2 = (3)^2 + MD^2 \Rightarrow 16 = 9 + MD^2$$

$$\Rightarrow MD^2 = 16 - 9 = 7$$

$$\therefore MD = \sqrt{7} = 2.65 \text{ cm}$$

$$\therefore CD = CM + MD = 4 + 2.65$$

$$= 6.65 \text{ cm}$$

Solution:

(b) **Given :** Two circles with centre C and D intersect each other at P and Q. A straight line APB is drawn parallel to CD.


To Prove : $AB = 2 CD$.

Construction : Draw CM and DN perpendicular to AB from C and D.

Proof : $\because CM \perp AP$

$\therefore AM = MP$ or $AP = 2 MP$

and $DN \perp PB$



$\therefore BN = PN$ or $PB = 2 PN$

Adding

$AP + PB = 2 MP + 2 PN$

$\Rightarrow AB = 2 (MP + PN) = 2 MN$

$\Rightarrow AB = 2 CD$. Q.E.D.


Question 5.

(a) In the figure (i) given below, C and D are centres of two intersecting circles. The line APQB is perpendicular to the line of centres CD. Prove that:

(i) $AP = QB$


(ii) $AQ = BP$.

(b) In the figure (ii) given below, two equal chords AB and CD of a circle with centre O intersect at right angles at P. If M and N are mid-points of the chords AB and CD respectively, Prove that NOMP is a square.



Solution:

(a) **Given :** Two circles with centres C and D intersect each other. A line APQB is drawn perpendicular to CD at M.



To Prove : (i) $AP = QB$ (ii) $AQ = BP$.

Construction : Join AC and BC, DP and DQ.

Proof : (i) In right $\triangle ACM$ and $\triangle BCM$

Hyp. $AC = BC$ (radii of same circle)

Side $CM = CM$ (common)

$\therefore \triangle ACM \cong \triangle BCM$

(R.H.S. axiom of congruency)

$$\therefore \angle ACP = \angle BCP$$

Angles in right angled triangles

$$\angle ACP + \angle CAP = 90^\circ$$

(Angles of the same triangle)

$$\therefore \angle ACP + \angle BCP = 90^\circ$$

$$\therefore \angle ACB = 90^\circ$$

(A.M.S. centre of conjugate)

$$\therefore \angle ACP = \angle BCP$$

Substituting (3) from (4)


$$\angle ACP + \angle BCP = \angle ACP + \angle BCP \Rightarrow AP = CP$$

(5) Adding (3) and (4)

$$AP + CP = CP + CP$$

$$\Rightarrow AP = CP \quad \text{Q.E.D.}$$

- (b) **Given :** Two chords AB and CD intersect each other at P at right angle in the circle. M and N are mid-points of the chord AB and CD.



To Prove : NOMP is a square.

Proof : \because M and N are the mid-points of AB and CD respectively.

$$\therefore OM \perp AB \text{ and } ON \perp CD$$

$$\text{and } OM = ON$$

(\because Equal chords are at equal distance from the centre)

$$\therefore AB \perp CD$$


$$\therefore OM \perp ON$$

Hence NOMP is a square.

Question 6.

In the given figure, AD is diameter of a circle. If the chord AB and AC are equidistant from its centre O, prove that AD bisects $\angle BAC$ and $\angle BDC$.

Solution:



Given : AB and AC are equidistant from its centre O

So, $AB = AC$

In $\triangle ABD$ and $\triangle ACD$

$AB = AC$ (given)

$\angle B = \angle C$ (\because Angle in a semicircle is 90°)

$AD = AD$ (common)

$\therefore \triangle ABD \cong \triangle ACD$ (SSS rule of congruency)

\therefore AD bisects $\angle BAC$ and $\angle BDC$

bodhiya.com