

# Data Handling

## Exercise-17.1

1. (i)

1, 1, 1, 2, 2, 2, 2, 3, 3, 3, 3, 3, 3, 3, 4, 4, 4, 4, 4, 5, 5, 5, 5, 6

(ii)

$$\begin{aligned}\text{Range of the data} &= \text{Maximum value} - \text{Minimum value} \\ &= 6 - 1 \\ &= 5\end{aligned}$$


(iii)

No. of rooms	Tally marks	No. of houses (Frequency)
1		3
2		4
3		8
4		5
5		3
6		2


(iv)

Number of houses which have 4 or more than 4 rooms

$$\begin{aligned}&= 5 + 3 + 2 \\ &= 10 \text{ houses}\end{aligned}$$




- 2.
- Total no. of books sold in 2008 = 15  
No. of books sold in 2009 =  
No. of books sold in 2011 =
  - The year in which 475 books sold ~~are~~ is 2012  
The year in which 225 books sold is 2010




- (i) Blue is the most preferred colour.
- (ii) Green is the least preferred colour.
- (iii) There are Five colours in all. They are
  - a) Red
  - b) Green
  - c) Blue
  - d) Yellow
  - e) Orange.

4)



- (i) The difference in the sale of two language books least is 2011
- (ii) Yes, the demand for English books rose faster from 2008 to 2009 and from year 2009 to 2010 it decreased comparatively with Hindi books. Then from 2010 to 2011 it increased.



## Exercise-17.2

(i) Mean =  $\frac{40+30+30+0+26+60}{6}$

$$= \frac{186}{6}$$

$$\text{Mean} = 31$$

(ii) Mean =  $\frac{3+5+7+9+11+13+15}{7}$

=

2) Mean of first five whole numbers

$$= \frac{0+1+2+3+4}{5}$$

$$= \frac{10}{5}$$

$$= 2$$

3) Mean =  $\frac{36+35+50+46+60+55}{6}$

$$\text{Mean} = 47$$

4) The mean enrollment of the school for

$$\text{the period} = \frac{1555 + 1670 + 1750 + 2013 + 2540 + 2825}{6}$$

$$\text{Mean} = 2058.834$$

5) Highest Marks obtained by the students = 95

(i) Highest Marks obtained by the students = 39  
Lowest Marks obtained by the students = 39

(ii) Range of the Marks = Maximum Mark - Minimum Mark

$$= 95 - 39$$

$$= 56$$

(iii) Mean Marks obtained by the students

$$= 85 + 76 + 90 + 85 + 39 + 48 + 56 + 95 + 81 + 75$$

$$\overline{= 73}$$

6) Height of the tallest girl = 151 cm

(i) Height of the shortest girl = 128 cm

(ii) Height of the girls =  $135 + 150 + 139 + 128 + 151$

(iii) Mean height of the girls =  $\frac{135 + 150 + 139 + 128 + 151 + 132 + 146 + 149 + 143 + 141}{10}$

$$= 141.4$$

(iv) 5 girls

7) Arithmetic Mean =  $\frac{8+4+6+x+2+7}{6} = 5$

$$\Rightarrow \frac{27+x}{6} = 5$$

$$x = 30 - 27$$

$$x = 3$$

8) Mean =  $\frac{\sum f_i x_i}{\sum f_i}$

Marks ( $x_i$ ) obtained	No. of students ( $f_i$ )	$f_i x_i$
2	3	6
3	2	6
4	6	24
7	7	49
10	2	20
Total	$\sum f_i = 20$	$\sum f_i x_i = 105$

$$\text{Mean} = \frac{2(3) + 3(2) + 4(6) + 7(7) + 10(2)}{3+2+6+7+2}$$

$$= \frac{6+6+24+49+20}{20}$$

$$= \frac{105}{20}$$

$$\text{Mean} = 5.25$$

### Exercise-17.3

1) (i) 1, 3, 3, 4, 5, 5, 6

Median = 4

(ii) 1, 3, 3, 4, 5, 5, 6, 6

$$\begin{aligned}\text{Median} &= \frac{4+5}{2} \\ &= \frac{9}{2} \\ &= 4.5\end{aligned}$$

2) (i) 3, 1, 5, 6, 3, 4, 5, 3

Mode = 3

(ii) In the given frequency distribution, we find that the observation 22 has maximum frequency so, the mode is = 22

3) 12, 12, 13, 13, 14, 14, 14, 16, 19

Median = 14

Mode = 14

4) 5, 9, 10, 12, 15, 16, 19, 20, 20, 20, 20, 23, 29, 25, 25

$$\text{Median} = 20$$

$$\text{Mode} = 20$$

5) (i) 32, 35, 36, 37, 38, 38, 38, 40, 42, 43, 43, 43  
45, 47, 50

$$\text{Median} = 40$$

$$\text{Mode} = 38, 43$$

(ii) Yes (38, 43)

6. 6, 8, 10, 10, 15, 15, 15, 15, 50, 80, 100, 120  
 $M_e = \frac{6+8+10+10+15+15+15+15+50+80+100+120}{11}$   
= 39

$$\text{Median} = 15$$

$$\text{Mode} = 15$$

No, all the three are not same

7) Mode = 15

### Exercise-17.4

- (i) certain to happen
- (ii) impossible to happen
- (iii) can happen but not certain
- (iv) impossible to happen
- v) can happen but not certain
- vi) can happen but not certain
- vii) can happen but not certain

2) probability =  $\frac{\text{no. of events}}{\text{Total no. of outcomes}}$

No. of events = 1

No. of outcomes = 2

$$\text{Probability} = \frac{1}{2}$$

3) (i) Event of drawing marble number 5 = 1

Total no. of outcomes = 6

$$\text{probability (number 5)} = \frac{1}{6}$$

(ii) Event of drawing marble number 2 = 1

Total no. of outcomes = 6

$$\text{probability (getting no. 2)} = \frac{1}{6}$$

4) (i) Event of getting a number less than 3 = 2

Total no. of outcomes = 6

probability (getting less than 3) =  $\frac{2}{6}$

$$\therefore P = \frac{1}{3}$$

(ii) a prime number

Event of getting a number less prime number = 3

Total no. of outcomes = 6

probability =  $\frac{3}{6}$

$$= \frac{1}{2}$$

(iii) Event of getting a number greater than 2 = 4

Total no. of outcomes = 6

probability =  $\frac{4}{6}$

$$P = \frac{2}{3}$$

5) (i) Event of drawing a defective mango = 3

Total no. of outcomes = 24

probability (getting a defective mango) =  $\frac{3}{24}$

$$= \frac{1}{8}$$

(ii) Event of drawing a good mango = 21

Total no. of outcomes = 24

probability (getting a good mango) =  $\frac{21}{24} = \frac{7}{8}$

6) (i) Event of drawing a red card = 26  
Total no. of outcomes = 52  
probability =  $\frac{26}{52}$   
=  $\frac{1}{2}$

(ii) Event of drawing a king = 4  
Total no. of outcomes = 52

probability =  $\frac{4}{52} = \frac{1}{13}$

(iii) a card of spades  $\rightarrow$  Event = 13  
Total no. of outcomes = 52

probability =  $\frac{13}{52}$   
=  $\frac{1}{4}$